

BEST AVAILABLE COPY

1/22

CONSTRUCTION OF pCAGGS(B TYPE) AND pCAGGS(BSX)




FIG. 1

2/22

CONSTRUCTION OF pCALNdLWE-zeo-NP(Z)




FIG. 2




FIG. 3

CONSTRUCTION OF pCAGGS-L(TDK)




FIG. 4

CONSTRUCTION OF pCAGGS-F




FIG. 5

CONSTRUCTION OF pCAGGS-F5R




FIG. 6




FIG. 7

8/22

CONSTRUCTION OF pCAGGS-T7




FIG. 8

9/22




FIG. 9

10/22




FIG. 10

11/22




FIG. 11

DILUTION DIRECTION →




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

COMPARISON BETWEEN THE HamRbz METHOD AND THE pCAGGS-T7 METHOD






FIG. 19

20/22


P0d4



P1d7




P2d4




5.4×10^8 CIU/ml

FIG. 20


P0d4




P1d9



P2d4



P3d3



4.6×10^7 CIU/ml

FIG. 21




FIG. 22

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.